



RECOMMENDED REALSTRONG FERTILIZER APPLICATION FOR DRAGON FRUIT PLANTS

CADANGAN PENABURAN BAJA REALSTRONG UNTUK TANANAM BUAH NAGA



TREE AGE /USIA POKOK	TYPES OF FERTILISER AND USAGE RATE / JENIS BAJA DAN KADAR PENGGUNAAN	FREQUENCY PER YEAR / KEKERAPAN DALAM SETAHUN	REMARKS / CATATAN
0	ROCK PHOSPHATE (400G/POKOK) OR/ATAU K-NEUTRALIZER (5KG/POKOK)	DURING PLANTING/ SEMASA MENANAM	-
1 YEAR / 1 TAHUN	SOIL CONDITIONER (300G/POKOK) OR/ATAU MAX GROWTH (150G/POKOK)	4 TIMES / 4 KALI	EVERY 2 MONTHS / SETIAP 2 BULAN
1 YEAR (FLOWERING STAGE) / 1 TAHUN (TAHAP PEMBUNGAAN)	MPOB F4 (100G/POKOK) OR/ATAU MAX K (100G/POKOK)	3 TIMES / 3 KALI	EVERY 2 MONTHS / SETIAP 2 BULAN
2 YEARS AND ABOVE / 2 TAHUN KE ATAS	MPOB F4 (200G/POKOK) OR/ATAU MAX K (200G/POKOK)	3-6 TIMES / 3-6 KALI	EVERY 2 MONTHS DURING FRUITING /SETIAP 2 BULAN SEMASA BERBUAH
2 YEARS AND ABOVE / 2 TAHUN KE ATAS	SOIL CONDITIONER (600G/POKOK) OR/ATAU MAX GROWTH (300G/POKOK)	3-6 TIMES / 3-6 KALI	EVERY 2 MONTHS AFTER FRUITING /SETIAP 2 BULAN SEMASA BERBUAH
EYERY YEAR / SETIAP TAHUN	TRICHO ACTI-PLUS (200ML/POKOK)	ONCE / SEKALI	SPRAY THE TRICHO-ACTI-PLUS SOLUTION ON THE INFECTED AREA SEMBURKAN LARUTAN TRICHO-ACTI-PLUS DI TEMPAT YANG DIJANGKITI PENYAKIT.

